

MICRO EXCAVATORS | 8008E CTS



100% electric. Zero emissions.



OPERATING WEIGHT
1006kg

MAX. DIG DEPTH
1.69m

BATTERY CAPACITY
9.9kWh

TOUGH TO BEAT PERFORMANCE

Class-leading power reduces time and manpower of labour-intensive digging jobs. 8008E CTS extending undercarriage provides greater stability.



WORK FOR LONGER

The JCB 8008E CTS batteries give up to 4.5 hours of continuous use which is the equivalent to more than a full day of typical work



TOUGH TO BEAT VERSATILITY

The 8008E CTS micro excavator is a compact machine with minimal tailswing, capable of high performance in the most restricted areas, including within buildings and in rear gardens.



FLEXIBLE WORKING

Compatible with a range of attachments for different applications and trailer towable for easy transport between sites.

TOUGH TO BEAT NOISE LEVELS

The JCB 8008E CTS operates 9dB quieter than its diesel version, making it perfect for urban and indoor use. Its low noise levels enable productive 'out of hours' work without disruption.



SAFER WORKING

Lower noise levels improve communication with co-workers to allow safer working conditions.



TOUGH TO BEAT TOTAL COST OF OWNERSHIP

Our electric technology saves time and money, keep check of your battery levels on the instrument panel, while two charging options gives you flexibility to charge anywhere.



ZERO EMISSIONS

Benefit from zero emissions during use and zero compromise on performance.

TOUGH TO BEAT SAFETY

The JCB 8008E CTS offers safer working conditions with zero emissions, lower noise levels and easy servicing. No diesel engine also means less vibration reducing operator fatigue and increasing productivity.



STAY SAFE

Safer operating with certified foldable top frame, seatbelt isolation of hydraulic controls and blue light indicator when machine is live.



TOUGH TO BEAT DURABILITY

The JCB 8008E CTS has been designed and built to withstand the toughest job sites, with long-lasting components for minimum downtime.



TOUGH BY DESIGN

Full width rear cast counterweight gives full protection against site damage.

MICRO EXCAVATORS | 8008E CTS



SPECIFICATION

MODEL	8008E CTS
Transport weight	931kg
Transport width	0.7m
Transport height	2.31m
Transport length	2.68m
Bucket tearout	9.3kN
Service interval	500 hours



STANDARD FEATURES

- TOPS* Certified front frame
- 180mm rubber tracks
- Retractable undercarriage
- Single to Double acting AUX
- 880mm Dipper
- Folding dozer blade wings
- LED Boom worklight
- Built in charger with charge lead
- Digital display
- 5-year battery warranty

*Tip-over protective structure.



THE JCB MICRO HAS GONE ELECTRIC

100% electric. Zero emissions.

FIND OUT MORE



www.jcb.com